

IN THE CLAIMS:

Please add new Claim 186 as shown below. The claims, as pending in the subject application, read as follows:

B1

1. (Original) A process for detecting a target single-stranded nucleic acid having a first base sequence, said process comprising the steps of:

forming a double-stranded nucleic acid by hybridizing said target single-stranded nucleic acid with a probe nucleic acid having a second base sequence complementary to said first base sequence;

providing a chemiluminescent compound capable of being associated with a double-stranded nucleic acid, and then associating said chemiluminescent compound with the double stranded nucleic acid resulting from said forming step; and

detecting luminescence from said chemiluminescent compound associated with said double-stranded nucleic acid.

2. (Original) The process according to Claim 1, wherein the luminescence-detecting step is conducted under a condition that only said chemiluminescent compound associated with said double-stranded nucleic acid can exhibit chemiluminescence.

3. (Original) The process-according to Claim 2, wherein said condition is in an aqueous medium in which said chemiluminescent compound non-associated with a double-stranded nucleic acid does not exhibit chemiluminescence.

4. (Original) The process according to Claim 3, wherein said aqueous medium is water.

5. (Original) The process according to Claim 3, wherein said aqueous medium is an aqueous buffer solution.

6. (Original) The process according to Claim 3, wherein said aqueous medium is a mixture solution of water and an organic solvent miscible with water.

7. (Original) The process according to Claim 6, wherein said organic solvent comprises at least one solvent selected from the group consisting of methanol, ethanol, acetonitrile, dimethylformamide, dimethylsulfoxide, and isopropanol.


8. (Original) The process according to Claim 6, wherein said mixture solution has a content of said organic solvent falling within 2 to 50% by volume relative to water.

9. (Original) The process according to Claim 8, wherein said content falls within 5 to 20% by volume relative to water.

10. (Original) The process according to Claim 3, wherein pH of said aqueous medium ranges from 5 to 8.

11. (Original) The process according to Claim 1, wherein said chemiluminescent compound is capable of being inserted into the double helical structure of said double-stranded nucleic acid as an intercalator.

12. (Original) The process according to Claim 11, wherein said chemiluminescent compound is a pyrylium compound represented by the following formula [1]:



[1],

wherein:

X is O, S, Se or Te;

two of R¹, R² and R³ are independently a substituted or unsubstituted aryl group;

the other is a hydrogen atom, halogen atom, sulfonate group, amino group, styryl group, nitro group, hydroxyl group, carboxyl group, cyano group, substituted or unsubstituted alkyl group, substituted or unsubstituted cycloalkyl group, -A or -L-A,

wherein:





L is -L¹-, -L²-L³- or -L⁴-L⁵-L⁶-, wherein each of L¹ to L⁶ is independently

-(CH=CH)-, a divalent group derived from the substituted or unsubstituted aryl group, a substituted or unsubstituted lower alkylene group, or -CH=R⁴-, wherein R⁴ is a ring structure having an oxo group; and

A is a substituted or unsubstituted aryl group, or -CH=R⁵, wherein R⁵ is a substituted or unsubstituted heterocyclic ring, substituted or unsubstituted cycloalkyl group or substituted or unsubstituted aromatic ring; and

Y⁻ is an anion.


13. (Original) The process according to Claim 12, wherein L in said formula [1] is any one of the groups represented by the following formulae [2] to [6], respectively:



wherein Z is a hydrogen atom or a substituted or unsubstituted lower alkyl group, n is 0, 1 or 2, and ϕ is a substituted or unsubstituted o-, m- or p-phenylene group.

Claims 14 to 185. (Cancelled).

186. (New) The process according to Claim 12, wherein said chemiluminescent compound represented by said formula [1] is a compound represented by the following formula [9]:



wherein X is O, S, Se, or Te, and Y^- is an anion.